



Bio-Dizel

www.bio-dizel.rs



szr "IN PAK"
Źarka Zrenjanina 4
Banatski Karlovac
Srbija

kontakt:
tel/fax. +381 (0)13 652 905
mob. +381 63 261 315
+381 63 73 00 949

www.bio-dizel.rs - offic@bio-dizel.rs



Bio-Dizel

www.bio-dizel.rs

Principle of operation

Biodiesel processor is a complete system for the production of biodiesel fuel. As a raw material for the production of this, environmentally-friendly fuel, cold pressed oil of all kind of so-called "oilseeds plants" is used (see our machines for the production of cold pressed oil), as well as the animal fat. You can use both eatable and waste materials. The capacity of the processor on a daily basis is 960 liters. Oil, alcohol for the production and catalyst are added directly in the processor. During the process of titration, necessary ratio of components is determined in order to obtain a high quality biodiesel. The complete process of biodiesel production takes 4 hours, while for the production of heating oil, it takes 45 minutes. Upon completion of the process, obtained fuel is filtered and refined in a dry washing filter. After this operation, the fuel is ready for pouring into the engine.

Type of the processor	Biodiesel processor 200PROFI
Height	1850 mm
Width	480 mm
Lenght	860 mm
Daily capacity	960 l
Capacity of a process (6h*)	160 l
Consumption (6h*)	4550 W
Chemical inputs	Automaticly
Price of the processor	3550 €

The above prices do not include VAT

A process takes a total of 6 h



szr "IN PAK"
Žarka Zrenjanina 4
Banatski Karlovac
Srbija

kontakt:
tel/fax. +381 (0)13 652 905
mob. +381 63 261 315
+381 63 73 00 949

www.bio-dizel.rs - offic@bio-dizel.rs



Bio-Dizel

www.bio-dizel.rs

Our processors are made of high-quality HDPE plastics, very durable and not susceptible to corrosion.

Biodiesel processors are small and extremely quiet in operation, so they can be used in households.

Biodiesel processors are delivered to your home, where they are installed by a professional, who puts it in operation in the presence of a client.

Along with the processor, client receives complete and detailed instructions which guides new user step-by-step towards getting to know the machine and the production process. The post-sale support for all customers who require additional assistance is also provided.

*SZR "IN PAK" has a **2 (two)** year warranty, starting from the date of installment of the Biodiesel processor, provided the proper use of the product as specified in the instructions.*

For all additional information contact us, or visit us.

Thank you for your cooperation.

General Manager
Srecko Radovanovic



szr "IN PAK"
Žarka Zrenjanina 4
Banatski Karlovac
Srbija

kontakt:
tel/fax. +381 (0)13 652 905
mob. +381 63 261 315
+381 63 73 00 949

www.bio-dizel.rs - offic@bio-dizel.rs

