



Bio-Dizel

www.bio-dizel.rs



szr "IN PAK"
Źarka Zrenjanina 4
Banatski Karlovac
Srbija

kontakt:
tel/fax. +381 (0)13 652 905
mob. +381 63 261 315
+381 63 73 00 949

www.bio-dizel.rs - offic@bio-dizel.rs



Bio-Dizel

www.bio-dizel.rs

Principle of operation

The role of the extension is to increase the production capacity of the processor for the production of biodiesel fuel. The extension itself cannot operate independently, but it is installed on one of our processors type 200L and 200 PROFI (see our processors for the production of biodiesel).

Biodiesel processor is a complete system for the production of biodiesel fuel. As a raw material for the production of this, environmentally-friendly fuel, cold pressed oil of all kind of so-called "oilseeds plants" is used (see our machines for the production of cold pressed oil), as well as the animal fat. You can use both eatable and waste materials. The capacity of the processor on a daily basis is 2400 liters.

Type of the processor	Biodiesel processor EXTENSION
Height	1850 mm
Width	1980 mm
Lenght	860 mm
Daily capacity	2400 l
Capacity of a process (2h*)	160 l
Consumption	10,2 k W
Dry wash	500 l
Price of the processor	2850€

The above prices do not include VAT

A process takes a total of 6 h



szr "IN PAK"
Žarka Zrenjanina 4
Banatski Karlovac
Srbija

kontakt:
tel/fax. +381 (0)13 652 905
mob. +381 63 261 315
+381 63 73 00 949

www.bio-dizel.rs - offic@bio-dizel.rs



Bio-Dizel

www.bio-dizel.rs

Our processors are made of high-quality HDPE plastics, very durable and not susceptible to corrosion.

Biodiesel processors are small and extremely quiet in operation, so they can be used in households.

Biodiesel processors are delivered to your home, where they are installed by a professional, who puts it in operation in the presence of a client.

Along with the processor, client receives complete and detailed instructions which guides new user step-by-step towards getting to know the machine and the production process. The post-sale support for all customers who require additional assistance is also provided.

*SZR "IN PAK" has a **2 (two)** year warranty, starting from the date of installment of the Biodiesel processor, provided the proper use of the product as specified in the instructions.*

For all additional information contact us, or visit us.

Thank you for your cooperation.



*General Manager
Srecko Radovanovic*



szr "IN PAK"
Žarka Zrenjanina 4
Banatski Karlovac
Srbija

kontakt:
tel/fax. +381 (0)13 652 905
mob. +381 63 261 315
+381 63 73 00 949

www.bio-dizel.rs - offic@bio-dizel.rs

